IMPACKED
INTERNATIONAL

Fruit, vegetables & salads
Catalogue





Material properties

	6 PS	1 PET		5 PP		3 PVC	2 HDPE	7 OTHER
	PS	PET	CPET	PP	CO- PP	PVC	HDPE	PLA
Minimum temperature	- 40°C	- 40°c	- 40°c	+ 3°c	- 40°c	- 20°c	- 70°c	- 10°c
Maximum temperature short term	90°c	70°c	220°c	140°c	120°c	80°c	100°c	50°c
Maximum temperature long term	80°c	70°c	220°c	110°c	120°c	70°c	90°c	45°c
Density	1.05	1.35	1.35	0.91	0.91	1.38	0.96	1.25
Thickness comparison *	110	105	110	125	140	100	140	100
Light transmittance *	60	100	100	90	90	100	60	100
Material strength (N/mm²)	1,900 -2,500	2,200	2,900	1,700	1,350			3,500

* Indicative value

Permeability of materials

	PS	PET	PP	CO- PP	CPET	PVC	PLA
O_2 $\frac{cm^3 \times 25\mu m}{m^2 \times 24h \times bar}$	6,000	100 - 160	1,500	2,500 - 4,500	66 - 78	120 - 300	500
CO_2 $\frac{cm^3 \times 25\mu m}{m^2 \times 24h \times bar}$	18,000	200 - 500	8,800	9,500 - 14,400	230 - 260	320 - 1,000	2,500
N_2 $\frac{cm^3 \times 25\mu m}{m^2 \times 24h \times bar}$	2,000	5 - 20	640	700 - 880	9 - 16	50 - 150	
H_2O $\frac{g \times 25\mu m}{m^2 \times 24h}$	60 - 150	10 - 30	6	7 - 12	14	10 - 40	300

Recycling symbols

CODE	LOGO	NAME	PROPERTIES	APPLICATIONS
PET	1 PET	Polyethylene terephthalate	Usually transparent, sinks in water	Meat trays, salad bowls, tapas, soft drink bottles, oil bottles
PP	5 PP	Polypropylene	Floats on water, low gloss	Meal trays, soup pots, dessert cups, butter dishes
PS	6 PS	Polystyrene	Crumples easily, sinks in water, glossy	Styrofoam, foam cups, chip trays
ALU	41 ALU	Aluminium	Very good barrier. Very stable at high temperatures	Grill, oven meals, barbecue, gratin dishes
HDPE	2 HDPE	High density / polyethylene	Sinks in water	Water bottles, bleach bottles
LDPE	4 LDPE	Low density polyethylene	Flexible, does not crumple	Plastic packaging for cans, bread bags, bags for sandwiches
PVC	3 PVC	Polyvinyl Chloride	Glossy, sinks in water	Disinfectant bottles, tubes
PAP	21 PAP	Cardboard	Eco-friendly appearance	Single-use packaging
Other	7 OTHER	Polycarbonate, acrylic, ABS, mixed/ multi layer plastic.		

All material types are catalogued by means of a number and a recycling symbol.

Legend

RECYCLE ME!
100% recyclable material

⩽ 40°C
Suitable for cold products and preparations up to max. 40°C

⩽ 120°C
Suitable for heating in the microwave up to max. 120°C

⩽ 220°C
Suitable for heating in a hot-air oven up to max. 220°C

⩽ 350°C
Suitable for heating in a hot-air oven up to max. 350°C

In stock in our warehouse

Salad tray with safety seal

Handy and versatile trays with attached lid and safety seal for optimal comfort and security. The packaging cannot be opened without breaking the safety seal!



SQUARE

Square tray 122/30 150cc with attached lid and safety seal	122x129x30	✓
Square tray 122/41.5 250cc with attached lid and safety seal	122x129x41.5	✓
Square tray 122/65 375cc with attached lid and safety seal	122x129x65	✓

RECTANGULAR

Rect. tray h50 with attached lid	144x122x50

The packaging cannot be opened without breaking the safety seal!





ROUND

Round tray Ø167 H47 with safety seal 500cc	Ø167	✔
Round tray Ø167 H65 with safety seal 750cc	Ø167	✔
Round tray Ø190 H48 with safety seal 750cc	Ø190	✔
Round tray Ø190 H62 with safety seal 1000cc	Ø190	✔
Round tray Ø220 H55 with safety seal 1400cc	Ø220	✔





Square salads

Stylish square trays, versatile in use

// disposeal **compatible**



PET

RECYCLE ME!

≤ 40°C

Pasta salad bowl 136/50 450 ml	136x136x50
Pasta salad bowl 138/80 750 ml	136x136x80
Square sealtray	116x116x60
Square sealtray	116x116x70

Round cups 115 series

// disposeal **compatible**









PET ♻ RECYCLE ME! ≤ 40°C

ROUND CUPS Ø115

Cup 115/31 PET	Ø115x31	
Cup 115/35 PET	Ø115x35	✔
Cup 115/41 PET	Ø115x41	✔
Cup 115/47 PET	Ø115x47	✔
Cup 115/52 PET	Ø115x52	✔
Cup 115/60 PET	Ø115x60	✔

Jars

Creative all-rounder





PET ≤ 40°C

Jar 250 ml PET	69Ø x 78	✓
Lid for Jar 69Ø 250 ml	69Ø x 13	✓
Jar 280ml PET + black lid	85Ø x 65	✓
Jar 400ml PET	85Ø x 82	✓
Jar 500ml PET + black lid	85Ø x 95	✓
Jar 750ml PET + black lid	85Ø x 138	✓
Jar 1000ml PET	85Ø x 177	✓
Lid for Jar	85Ø x 18	✓





Round cups 118 series





PET RECYCLE ME! ≤ 40°C

ROUND CUPS Ø118

Cups 118/44 PET - 290ml	Ø118x44	✓
Cups 118/59 PET - 380 ml	Ø118x59	✓
Cups 118/75 PET - 520 ml	Ø118x75	✓
Cups 118/100 PET - 700 ml	Ø118x100	✓
Lid cup low PET	Ø118mm	✓



Dressing box

Handy portion pots for sauces.





PET ≤ 40°C

DRESSING BOX PET

Sauce cup with attached lid 30cc	✔
Sauce cup with attached lid 60cc	✔
Sauce cup with attached lid 80cc	✔



Cups with safety seal

Microwave safe





5 PP · RECYCLE ME! · ≤ 120°C

CONTAINER RH 118X89MM

container RH 200ml with transparent lid and safety seal	✓
container RH 280ml with transparent lid and safety seal	✓
container RH 500ml with transparent lid and safety seal	✓

CONTAINER RH 192X129MM

container 1000ml with transparent lid and safety seal	✓
container 1200ml with transparent lid and safety seal	✓

1L SOUP BUCKET Ø 131

570ml soup bucket with transparent lid, transparent handle and safety seal	✓
800ml soup bucket with transparent lid, transparent handle and safety seal	✓
1L soup bucket with black lid, black handle and safety seal	✓
1L soup bucket with transparent lid, transparent handle and safety seal	✓

Cups with safety seal

5 PP · RECYCLE MEI · ≤ 120°C

CONTAINER ROUND Ø 118

Container round 300ml with transparent lid and safety seal	✓
Container round 500ml with transparent lid and safety seal	✓
Container round 565ml with black lid and safety seal	✓
Container round 670ml with transparent lid and safety seal	
Container round 770ml with transparent lid and safety seal	



CONTAINER ROUND Ø 95

Container round 180ml with transparent lid and safety seal	✓
Container round 210ml with transparent lid and safety seal	✓
Container round 240ml with transparent lid and safety seal	
Container round 280ml with transparent lid and safety seal	✓
Container round 315ml with transparent lid and safety seal	
Container round 365ml with transparent lid and safety seal	✓
Container round 520ml with transparent lid and safety seal	✓
Container round 400ml with transparent lid and safety seal	
Container round 660ml with transparent lid and safety seal	

SAUCE CUPS

Sauce cup 15ml 34Ø	✓
Sauce cup 20ml 34Ø	✓
Sauce cup 40ml 43Ø	✓

Personalize your cups with IML

The r**ound cups** can be supplied with a label. (IML = In Mould Labeling)
IML is the technique of providing cups with a pre-printed label. This label is applied to the packaging during the production process.
The IML packaging is attractive and gives your packaging an exclusive and distinctive look.
A label can be applied for orders from 5,000 pieces.



Microwave safe
Convenient to use
High food safety
Printing possible
Versatile
Reusable
Sturdy



Luxury bowls





PET · RECYCLE ME! · ≤ 40°C

Luxury bowl 500cc transparent PET	1	175x135x75	✓
Luxury bowl 500cc black PET		175x135x75	✓
Luxury bowl lid 500cc PET	2	175x135x13	✓
Luxury bowl 750cc transparent PET	1	195x155x75	✓
Luxury bowl 750cc black PET		195x155x75	✓
Luxury bowl lid 750cc PET	2	195x155x15	✓
3-compartment insert luxury bowl 750cc PET	3	165x135x20	✓
Luxury bowl 1000cc transparent PET	1	210x165x90	✓
Luxury bowl 1000cc black PET		210x165x90	✓
Luxury bowl lid 1000cc PET	2	210x165x20	✓
3-compartment insert luxury bowl 1000cc PET	4	165x140x20	✓
Heart tray with attached lid PET			



The luxury bowl is perfectly stackable

Salad bowls

For a tasty, fresh salad on the go








SALAD BOWLS

Salad bowl 500ml transparent	Ø185	✓
Salad bowl 750ml transparent	Ø185	✓
salad bowl 750ml black	Ø185	
Lid salad bowl flat h7	Ø185	
Lid salad bowl dome h20	Ø185	✓
Salad bowl 1000 ml black + lid (combi)		✓
Salad bowl 1500 ml black + lid (combi)		✓
Salad bowl square transparent	189x189	✓
Lid salad bowl square clear	189x189	✓
Salad bowl 1.5 l round	Ø230	✓
Lid for salad bowl 1.5 l round	Ø230	✓
Salad bowl 2.25 l round	Ø260	✓
Lid for salad bowl 2.25 l round	Ø260	✓
Salad bowl 4.5 l round	Ø305	✓
Lid for salad bowl 4.5 l round	Ø305	✓

IMPACKED INTERNATIONAL



Fruit, vegetables & salads catalogue

	Toolnumber	Length	Width	Depth	Comp.[1]	Material	Bottom size[2]	Tolerance	Note
	115.095.056	115 mm	95 mm	56 mm	1	OPS PET PLA	101 x 80	± 0.1	F
	131.122.050	131 mm	122 mm	50 mm	1	OPS PET	120 x 110	± 0.1	F
	136.136.023	136 mm	136 mm	23 mm	1	OPS PET PLA	124 x 124	± 0.1	F
	143.124.075	143 mm	124 mm	75 mm	1	PET	132 x 110	± 0.1	F
	143.124.080	143 mm	124 mm	80 mm	1	PET	132 x 110	± 0.1	F
	152.152.023	152 mm	152 mm	23 mm	1	OPS PET PLA	143 x 64 (2)	± 0.1	F
	165.115.035	165 mm	115 mm	35 mm	3	OPS PET	105 x 38	± 0.1	F
	165.116.020	165 mm	116 mm	20 mm	1	OPS PET	158 x 111	± 0.1	F
	170.105.020	170 mm	105 mm	20 mm	2	OPS PET	159 x 45 (2)	± 0.1	F
	180.180.045	180 mm	180 mm	45 mm	1	OPS PET	163 x 163	± 0.1	F

[1] Compartments [2] Size in mm Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Fruit, vegetables & salads catalogue

	Toolnumber	Length	Width	Depth	Comp.[1]	Material	Bottom size[2]	Tolerance	Note
	184.093.020	184 mm	93 mm	20 mm	1	OPS PET	172 x 82	± 0.1	F
	184.093.033	184 mm	93 mm	33 mm	1	OPS PET	172 x 82	± 0.1	F
	186.092.025	186 mm	92 mm	25 mm	1	OPS PET	180 x 79	± 0.1	F
	186.093.025	186 mm	93 mm	25 mm	1	OPS PET PLA	180 x 79	± 0.1	F
	186.186.025	186 mm	186 mm	25 mm	2	OPS PET	178 x 85 (2)	± 0.1	F











	188.108.020	188 mm	108 mm	20 mm	2	OPS PET PLA	178 x 44 (2)	± 0.1	F
Photo not available	188.115.020	188 mm	115 mm	20 mm	1	OPS PET	165 x 95	± 0.1	F
	188.116.020	188 mm	116 mm	20 mm	1	OPS PET PLA	179 x 104	± 0.1	F

[1] Compartments [2] Size in mm Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Fruit, vegetables & salads catalogue

	Toolnumber	Length	Width	Depth	Comp.[1]	Material	Bottom size[2]	Tolerance	Note
	188.116.055	188 mm	116 mm	55 mm	1	OPS PET PLA	232 x 39	± 0.1	F
	188.188.018	188 mm	188 mm	18 mm	2	OPS PET	178 x 86 (2)	± 0.1	F
	188.188.019	188 mm	188 mm	18 mm	4	OPS PET	176 x 40 (4)	± 0.1	F
Photo not available	200.075.020	200 mm	75 mm	20 mm	1	OPS PET	177 x 57	± 0.1	F
	212.108.020	212 mm	108 mm	20 mm	2	OPS PET	207 x 45 (2)	± 0.1	F
	220.110.035	220 mm	110 mm	35 mm	2	OPS PET	195 x 35(2)	± 0.1	F
	222.078.020	222 mm	78 mm	20 mm	3	OPS PET	70 x 70 (3)	± 0.1	F
	230.150.030	230 mm	150 mm	30 mm	1	OPS PET PLA	217 x 137	± 0.1	F
	230.154.020	230 mm	154 mm	20 mm	2	OPS PET	176 x 45 (2)	± 0.1	F
	239.135.061	239 mm	135 mm	61 mm	1	OPS PET	231 x 119	± 0.1	F


[1] Compartments [2] Size in mm Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Fruit, vegetables & salads catalogue

	Toolnumber	Length	Width	Depth	Comp.[1]	Material	Bottom size[2]	Tolerance	Note
	240.140.020	240 mm	140 mm	20 mm	1	OPS PET	225 x 122	± 0.1	F
	241.140.065	241 mm	140 mm	65 mm	1	OPS PET	226 x 121	± 0.1	F
	245.093.020	245 mm	93 mm	20 mm	2	OPS PET	231 x 38 (2)	± 0.1	F





	247.170.040	247 mm	170 mm	40 mm	1	OPS PET	233 x 163	± 0.1	F
	250.177.040	250 mm	177 mm	40 mm	1	OPS PET	236 x 162	± 0.1	R
	270.080.020	270 mm	80 mm	20 mm	2	OPS PET	257 x 31 (2)	± 0.1	F
	275.093.020	275 mm	93 mm	20 mm	1	OPS PET	240 x 55	± 0.1	F
	275.093.021	275 mm	93 mm	20 mm	2	OPS PET	260 x 34	± 0.1	F

[1] Compartments [2] Size in mm Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Fruit, vegetables & salads catalogue

	Toolnumber	Length	Width	Depth	Comp.[1]	Material	Bottom size[2]	Tolerance	Note
	279.092.020	279 mm	92 mm	20 mm	2	OPS PET	266 x 36 (2)	± 0.1	F
	279.092.022	279 mm	92 mm	20 mm	2	OPS PET	270 x 84	± 0.1	F
	279.092.023	279 mm	92 mm	20 mm	1	OPS PET	268 x 42	± 0.1	F
	279.092.024	279 mm	92 mm	20 mm	1	OPS PET	266 x 78	± 0.1	F
	279.092.031	279 mm	92 mm	30 mm	2	OPS PET	266 x 36 (2)	± 0.1	F
	279.092.032	279 mm	92 mm	30 mm	1	OPS PET	269 x 42	± 0.1	F
	280.180.065	280 mm	180 mm	65 mm	1	OPS PET	250 x 150	± 0.1	F
	280.180.070	280 mm	180 mm	70 mm	1	OPS PET	250 x 150	± 0.1	F
	285.075.020	285 mm	75 mm	20 mm	1	OPS PET	275 x 60	± 0.1	F
	285.075.021	285 mm	75 mm	20 mm	1	OPS PET PLA	278 x 66	± 0.1	F

[1] Compartments [2] Size in mm Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Fruit, vegetables & salads catalogue

	Toolnumber	Length	Width	Depth	Comp.[1]	Material	Bottom size[2]	Tolerance	Note
	320.092.020	320 mm	92 mm	20 mm	1	OPS PET	333 x 82	± 0.1	F
	340.093.020	340 mm	93 mm	20 mm	1	OPS PET	305 x 185	± 0.1	F

[1] Compartments [2] Size in mm Note: F : free tool - R: restricted (negotiation recommended)