
IMPACKED
INTERNATIONAL

Tapas & dips
Catalogue



Material properties

	6 PS	1 PET		5 PP		3 PVC	2 HDPE	7 OTHER
	PS	PET	CPET	PP	CO- PP	PVC	HDPE	PLA
Minimum temperature	- 40°C	- 40°c	- 40°c	+ 3°c	- 40°c	- 20°c	- 70°c	- 10°c
Maximum temperature short term	90°c	70°c	220°c	140°c	120°c	80°c	100°c	50°c
Maximum temperature long term	80°c	70°c	220°c	110°c	120°c	70°c	90°c	45°c
Density	1.05	1.35	1.35	0.91	0.91	1.38	0.96	1.25
Thickness comparison *	110	105	110	125	140	100	140	100
Light transmittance *	60	100	100	90	90	100	60	100
Material strength (N/mm²)	1,900 -2,500	2,200	2,900	1,700	1,350			3,500

* Indicative value

Permeability of materials

	PS	PET	PP	CO- PP	CPET	PVC	PLA
O_2 $\frac{cm^3 \times 25\mu m}{m^2 \times 24h \times bar}$	6,000	100 - 160	1,500	2,500 - 4,500	66 - 78	120 - 300	500
CO_2 $\frac{cm^3 \times 25\mu m}{m^2 \times 24h \times bar}$	18,000	200 - 500	8,800	9,500 - 14,400	230 - 260	320 - 1,000	2,500
N_2 $\frac{cm^3 \times 25\mu m}{m^2 \times 24h \times bar}$	2,000	5 - 20	640	700 - 880	9 - 16	50 - 150	
H_2O $\frac{g \times 25\mu m}{m^2 \times 24h}$	60 - 150	10 - 30	6	7 - 12	14	10 - 40	300

Recycling symbols


CODE	LOGO	NAME	PROPERTIES	APPLICATIONS
PET		Polyethylene terephthalate	Usually transparent, sinks in water	Meat trays, salad bowls, tapas, soft drink bottles, oil bottles
PP		Polypropylene	Floats on water, low gloss	Meal trays, soup pots, dessert cups, butter dishes
PS		Polystyrene	Crumples easily, sinks in water, glossy	Styrofoam, foam cups, chip trays
ALU		Aluminium	Very good barrier. Very stable at high temperatures	Grill, oven meals, barbecue, gratin dishes
HDPE		High density / polyethylene	Sinks in water	Water bottles, bleach bottles
LDPE		Low density polyethylene	Flexible, does not crumple	Plastic packaging for cans, bread bags, bags for sandwiches
PVC		Polyvinyl Chloride	Glossy, sinks in water	Disinfectant bottles, tubes
PAP		Cardboard	Eco-friendly appearance	Single-use packaging
Other		Polycarbonate, acrylic, ABS, mixed/ multi layer plastic.		

All material types are catalogued by means of a number and a recycling symbol.

Legend



100% recyclable material




Suitable for cold products and prepara-tions up to max. 40°C



Suitable for heating in the microwave up to max. 120°C



Suitable for heating in a hot-air oven up to max. 220°C



Suitable for heating in a hot-air oven up to max. 350°C



In stock in our warehouse

Round cups 115 series

// disposeal **compatible**









PET · RECYCLE ME! · ≤ 40°C

ROUND CUPS Ø115

Cup 115/31 PET	Ø115x31	
Cup 115/35 PET	Ø115x35	✔
Cup 115/41 PET	Ø115x41	✔
Cup 115/47 PET	Ø115x47	✔
Cup 115/52 PET	Ø115x52	✔
Cup 115/60 PET	Ø115x60	✔

Jars

Creative all-rounder





PET · RECYCLE ME! · ≤ 40°C

Jar 250 ml PET	69Ø x 78	✓
Lid for Jar 69Ø 250 ml	69Ø x 13	✓
Jar 280ml PET + black lid	85Ø x 65	✓
Jar 400ml PET	85Ø x 82	✓
Jar 500ml PET + black lid	85Ø x 95	✓
Jar 750ml PET + black lid	85Ø x 138	✓
Jar 1000ml PET	85Ø x 177	✓
Lid for Jar	85Ø x 18	✓





Round cups 118 series





ROUND CUPS Ø118

Cups 118/44 PET - 290ml	Ø118x44	✓
Cups 118/59 PET - 380 ml	Ø118x59	✓
Cups 118/75 PET - 520 ml	Ø118x75	✓
Cups 118/100 PET - 700 ml	Ø118x100	✓
Lid cup low PET	Ø118mm	✓



Presentation trays

Present your cheese platter, sushi, vitello tonato, carpaccio, ...
Perfectly sized for 2 wraps.









PET ≤ 40°C

PRESENTATION TRAYS

Presentation tray S + transparent lid	190 x 130	✓
Presentation tray M + transparent lid	220 x 140	✓
Presentation tray L + transparent lid	260 x 190	✓



Butcher trays

The most widely used tubs for all kinds of salads, raw vegetables and numerous other fresh products.







BUTCHER TRAYS ROUND

Butcher tray round 125ml PP	ø101x30	✓
Butcher tray round 150ml PP	ø101x35	✓
Butcher tray round 200ml PP	ø101x40	✓
Butcher tray round 250ml PP	ø101x48	✓
Butcher tray round 300ml PP	ø101x65	✓
Butcher tray round 400ml PP	ø101x82	✓
Butcher tray round 500ml PP	ø101x103	✓
Lid for round butcher tray	ø101x6	✓





BUTCHER TRAYS RECTANGULAR

Butcher tray rectangular 150ml PP	108x82x30	✓
Butcher tray rectangular 200ml PP	108x82x40	✓
Butcher tray rectangular 250ml PP	108x82x46	✓
Butcher tray rectangular 300ml PP	108x82x58	✓
Lid PP for butcher tray rectangular	108x82x5	✓

Takeaway containers

Universal and user-friendly food packaging.







Euro box 500ml PP	180x133x35	✓
Euro box 750ml PP	180x133x53	✓
Euro box 1000ml PP	180x133x62	✓
Euro box 1500ml PP	180x133x76	✓
Lid for takeaway container PP	192x135x9	✓

Catering trays

Indispensable for every caterer with an eye for quality and detail.





CATERING TRAYS *STANDARD*

PET · RECYCLE ME! · ≤ 40°C

Catering tray black S	295x210	✓
Lid for catering tray S	305x220	✓
Catering tray black M	350x250	✓
Lid for catering tray M	360x260	✓
Catering tray black L	450x350	✓
Lid for catering tray L	460x360	✓
Catering tray black XL	550x360	✓
Lid for catering tray XL	560x370	✓



CATERING TRAYS PET

PET · RECYCLE ME! · ≤ 40°C

Fondue platter 1-compartment	260	✓
Fondue platter 5-compartment	260	✓
Lid for fondue platter	260	✓
BBQ platter small	250x200	✓
Lid for small BBQ platter	250x200	✓
BBQ platter large	400x250	✓
Lid for large BBQ platter	400x250	✓



Amuse bouche

To present your small recipes in a graceful & elegant way





Dessert cup Bodega 180cc (PS)	1	ø76x56	✓
Lid dessert cup Bodega 180cc (PET)	1	ø76	✓
Dessert cup Bodega 250cc (PS)	1	ø83x60	✓
Lid dessert cup Bodega 250cc (PET)	1	ø83	✓
Kova dessert cup 60cc (PS)	2	50x50x43	✓
Lid Kova dessert cup 60cc (PET)	2	50x50	✓
Kova dessert cup 120cc (PS)	2	60x60x52	✓
Lid Kova dessert cup 120cc (PET)	2	60x60	✓
Kova dessert cup 200cc (PS)	2	69x69x66	✓
Lid Kova dessert cup 200cc (PET)	2	69x69	✓
Tulip pot amuse 60cc (PS)	3	ø50x65	✓
Lid tulip pot amuse 60cc (PET)	3	ø50	✓
Tulip pot amuse 150cc (PS)	3	ø70x80	✓
Lid tulip pot amuse 150cc (PET)	3	ø70	✓
Tulip pot amuse 250cc (PS)	3	ø82x100	✓
Lid tulip pot amuse 250cc (PET)	3	ø82	✓
Amuse spoon Paris black (PS)	4	37x127x36	✓
Amuse spoon Drop black (PS)	5	50x100x27	✓
Amuse mini plate black (PS)	6	60x60x12	✓
Dessert cup Felicita 80cc (PS)	7	46x84	✓
Dessert cup Fish ball 75cc (PET)	8	58x42	✓

Cups with safety seal

Microwave safe





5 PP

RECYCLE ME!

≤ 120°C

CONTAINER RH 118X89MM

container RH 200ml with transparent lid and safety seal	✓
container RH 280ml with transparent lid and safety seal	✓
container RH 500ml with transparent lid and safety seal	✓

CONTAINER RH 192X129MM

container 1000ml with transparent lid and safety seal	✓
container 1200ml with transparent lid and safety seal	✓

1L SOUP BUCKET Ø 131

570ml soup bucket with transparent lid, transparent handle and safety seal	✓
800ml soup bucket with transparent lid, transparent handle and safety seal	✓
1L soup bucket with black lid, black handle and safety seal	✓
1L soup bucket with transparent lid, transparent handle and safety seal	✓

Cups with safety seal

PP ≤ 120°C

CONTAINER ROUND Ø 118

Container round 300ml with transparent lid and safety seal	✓
Container round 500ml with transparent lid and safety seal	✓
Container round 565ml with black lid and safety seal	✓
Container round 670ml with transparent lid and safety seal	
Container round 770ml with transparent lid and safety seal	



CONTAINER ROUND Ø 95

Container round 180ml with transparent lid and safety seal	✓
Container round 210ml with transparent lid and safety seal	✓
Container round 240ml with transparent lid and safety seal	
Container round 280ml with transparent lid and safety seal	✓
Container round 315ml with transparent lid and safety seal	
Container round 365ml with transparent lid and safety seal	✓
Container round 520ml with transparent lid and safety seal	✓
Container round 400ml with transparent lid and safety seal	
Container round 660ml with transparent lid and safety seal	

SAUCE CUPS

Sauce cup 15ml 34Ø	✓
Sauce cup 20ml 34Ø	✓
Sauce cup 40ml 43Ø	✓

Personalize your cups with IML

The r**ound cups** can be supplied with a label. (IML = In Mould Labeling)
IML is the technique of providing cups with a pre-printed label. This label is applied to the packaging during the production process.
The IML packaging is attractive and gives your packaging an exclusive and distinctive look.
A label can be applied for orders from 5,000 pieces.



Microwave safe
Convenient to use
High food safety
Printing possible
Versatile
Reusable
Sturdy



Salad bowls

For a tasty, fresh salad on the go





SALAD BOWLS

Salad bowl 500ml transparant	Ø185	✓
Salad bowl 750ml transparant	Ø185	✓
salad bowl 750ml black	Ø185	
Lid salad bowl flat h7	Ø185	
Lid salad bowl dome h20	Ø185	✓
Salad bowl 1000 ml black + lid (combi)		✓
Salad bowl 1500 ml black + lid (combi)		✓
Salad bowl square transparent	189x189	✓
Lid salad bowl square clear	189x189	✓
Salad bowl 1.5 l round	Ø230	✓
Lid for salad bowl 1.5 l round	Ø230	✓
Salad bowl 2.25 l round	Ø260	✓
Lid for salad bowl 2.25 l round	Ø260	✓
Salad bowl 4.5 l round	Ø305	✓
Lid for salad bowl 4.5 l round	Ø305	✓

Dessert cups

// disposeal **compatible**

PET ≤ 40°C

Dessert cup H50	Ø95x50mm	✔
Dessert cup H60	Ø95x60mm	✔
Flat lid for cup Ø95	Ø95mm	✔



IMPACKED INTERNATIONAL

Tapas & dips catalogue

	Toolnumber	Diameter[1]	Filling cap. (cc)	Material	Tolerance	Print[2]	Label[3]	Note
	068.000.068	68	150	PP	0,2	X	X	F
	075.000.040	75	100	PP	0,2	X	X	F
	075.000.050	75	100	PP	0,2	X	X	F
	075.000.073	75	150	PS	0,2	X	X	F
	075.000.074	75	150	PP	0,2	X	X	F
	075.000.075	75	150	PS	0,2	X	X	F
	075.000.098	75	200	PP	0,2	X	X	F
	075.000.100	75	250	PP	0,2	X	X	F
	079.000.030	79	80	PP	0,2	X	X	F
	095.000.033	95	125	PP	0,2	X	X	F

[1] Compartments Note: F : free tool - R: restricted (negotiation recommended)


IMPACKED INTERNATIONAL

Tapas & dips catalogue

	Toolnumber	Diameter[1]	Filling cap. (cc)	Material	Tolerance	Print[2]	Label[3]	Note
	095.000.034	95	150	PP	0,2	X	X	F
	095.000.035	95	150	PP	0,2	X	X	F
	095.000.038	95	200	PP	0,2	X	X	F





	095.000.043	95	150	PS	0,2	X	X	F
	095.000.040	95	150	PS	0,2	X	X	F
	095.000.048	95	120/30	PS	0,2	X	X	F
	095.000.049	95	125/30	PS	0,2	X	X	F
	095.000.052	95	150/30	PS	0,2	X	X	F

[1] Compartments Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Tapas & dips catalogue

	Toolnumber	Diameter[1]	Filling cap. (cc)	Material	Tolerance	Print[2]	Label[3]	Note
	095.000.052	95	150	PP	0,2	X	X	F
	095.000.054	95	170	PS	0,2	X	X	F
	095.000.054	95	175	PP	0,2	X	X	F
	095.000.059	95	190/40	PS	0,2	X	X	F
	095.000.060	95	175	PS	0,2	X	X	F
	095.000.062	95	200	PS	0,2	X	X	F
	095.000.063	95	200	PP	0,2	X	X	F
	095.000.064	95	200	PS	0,2	X	X	F
	095.000.067	95	200	PP	0,2	X	X	F
	095.000.069	95	200	PS	0,2	X	X	F

[1] Compartments Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Tapas & dips catalogue

	Toolnumber	Diameter[1]	Filling cap. (cc)	Material	Tolerance	Print[2]	Label[3]	Note
	095.000.070	95	250	PP	0,2	X	X	F
	095.000.073	95	250	PS	0,2	X	X	F
	095.000.075	95	250	PS	0,2	X	X	F
	095.000.076	95	250	PS	0,2	X	X	F
	095.000.090	95	400	PS	0,2	X	X	F
	095.000.091	95	400	PP	0,2	X	X	F







	095.000.100	95	500	PS	0,2	X	X	F
	095.000.102	95	500	PS	0,2	X	X	F

[1] Compartments Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Tapas & dips catalogue

	Toolnumber	Diameter[1]	Filling cap. (cc)	Material	Tolerance	Print[2]	Label[3]	Note
	095.000.103	95	500	PP	0,2	X	X	F
	112.000.038	112	250	PS	0,2	0	0	F
	116.000.050	116	200	PS	0,2	X	X	F
	116.000.055	116	175/30	PS	0,2	0	0	F
	116.000.062	116	500	PET	0,2	X	X	F
	116.000.063	116	500	PP	0,2	X	X	F
	123.000.030	123	200	PS	0,2	0	0	F
	123.000.040	123	250	PS	0,2	X	X	F
	123.000.050	123	500	PS	0,2	X	X	F
	123.000.051	123	500	PS	0,2	X	X	F

[1] Compartments Note: F : free tool - R: restricted (negotiation recommended)

IMPACKED INTERNATIONAL

Tapas & dips catalogue

	Toolnumber	Diameter [1]	Filling cap. (cc)	Material	Tolerance	Print [2]	Label [3]	Note
	123.000.052	123	500	PS	0,2	X	X	F
	123.000.129	123	1000	PS	0,2	X	X	F
	133.000.012	133	Cover plate	PPC	0,2	0	X	F

	Toolnumber	Dimensions [1]	Filling cap. (cc)	Material	Tolerance	Print [2]	Label [3]	Note
	234.138.043	234x138x43	900	PP	± 0,1	0	0	F
	234.138.050	234x138x50	1000	PP	± 0,1	0	0	F
	180.000.050	180x0x50	650	PP	± 0,1	0	0	F
	183.160.055	183x160x55	650	PP	± 0,1	0	0	F
	200.148.042	200x148x42	550	PP	± 0,1	0	0	F
	200.148.050	200x148x50	295/230	PP	± 0,1	0	0	F

[1] Compartments Note: F : free tool - R: restricted (negotiation recommended)